


dime
DESIGNS IN MACHINE EMBROIDERY

Embroidery Design Collection

Shadow Work Elegance

Color Sequence Charts and Installation Instructions



PCS and SEW Format Users

There are some designs that are split due to their size or number of color changes. Before removing the fabric from the hoop make sure all sections of the design have been sewn. Test sewing the design before placing on final fabric or garment is recommended. The red * indicates a design that is rotated 90° to the left for SEW format only. Position your fabric accordingly.

Amazing Box | Magic Box Special Instructions

Special Instructions if you are using the Amazing or Magic Box as your conversion software: SEW designs need only section A loaded into the box. The box will split the design for you if needed. PCS formatted designs need sections A, B, and C (if present) loaded into the box.

Stabilizing Tip

Your design will have proper support on any fabric type when using a cut-away stabilizer variety. Some stable fabrics can also be embroidered using a tear-away stabilizer, but virtually any fabric will support embroidery with a foundation of cut-away stabilizer.

There are many types of cut-away stabilizer, from sheer to heavyweight. Because the cut-away will remain a permanent part of the garment, choose a weight that is compatible with your face fabric. Many sheer cut-away stabilizers are very strong and stable. A lightweight sheer may have more stability and less stretch than a heavier cut-away. Use a medium or heavy cut-away for sample swatches and testing of designs for a particular use.

Sew out times will vary according to the machine you are embroidering on.

Due to detail on designs and embroidery machine color palette differences, please refer to the color chart to see the designers color recommendations. Color numbers listed refer to Floriani Polyester machine embroidery thread. Other thread colors have been provided by the manufacturer. If no number is listed an exact match is not available. Color conversions are provided for your convenience and are not guaranteed.



Red

Green

Purple

Blue

2276	2285	2292	2594	2279	2320	2543	2584	2595	2458
1233	1188	1388	1310	1248	1048	1171	1308	1195	1103
1110	1064	1137	1034	1146	1046	1238	1183	1310	1091
131	133	135	203	228	229	237	238	244	245
2456	2457	2460	2445	2433	2245	2305	2306	2307	2388
1150	1170	1097	1293	1274	1075	1089	1094	1094	1375
1147	1238	1091	1075	1049	1071	1080	1080	1080	1137
273	275	277	292	362	364	369	370	371	373
2518	2532	2295	2557	2561	2234	2330	2325	2462	2285
1088	1029	1020	1349	1159	1025	1217	1023	1224	1188
1080	1028	1016	1171	1359	1025	1306	1124	1321	1064
376	383	516	521	523	532	535	542	544	601
2286	2425	2288	2286	2254	2430	2374	2225		
1313	1182	1080	1313	1182	1033	1315	1374		
1226	1244	1080	1226	1244	1032	1278	1137		
622	661	663	672	687	688	1082	1586		

Thread colors provided by the manufacturer. If no number is listed an exact match is not available. Colors provided for convenience and are not guaranteed.

① 98666801



1	275	5	542
2	131	6	238
3	523	7	1586
4	601		

② 98666802



1	622
2	275
3	292
4	687
5	544

③ 98666803



1	228
2	672
3	688
4	544
5	237

④ 98666804



1	228
2	131
3	135
4	237
5	544

⑤ 98666805



1	228
2	1082
3	516
4	237

⑥ 98666806



1	383
2	542
3	376
4	229

⑦ 98666807



1	131
2	521
3	244
4	238
5	135
6	544

⑧ 98666808



1	521
2	622
3	273
4	663
5	544
6	245

⑨ 98666809



1	131
2	275
3	135
4	238

⑩ 98666810




1	521
2	131
3	275
4	133
5	544
6	277

⑪ 98666811




1	369
2	275
3	542
4	376
5	277

⑫ 98666812



1	244
2	532
3	516
4	203

⑬ 98666813



1	371
2	244
3	238
4	373

⑭ 98666814



1	131
2	275
3	133
4	238

⑮ 98666815



1	275
2	532
3	535
4	238

⑯ 98666816



1	275
2	131
3	661
4	601
5	238
6	663

⑰ 98666817



1	275
2	369
3	370
4	238

⑱ 98666818




1	275
2	521
3	131
4	601
5	544
6	238

⑲ 98666819



1	275
2	131
3	521
4	601
5	238
6	544

⑳ 98666820



1	275
2	362
3	364
4	542
5	238